



BIDS AND AWARDS COMMITTEE

3/F Student Union Center., Bicol University Main Campus, Rizal St., Legazpi City

Telefax: (052) 830-431

university-bac@bicol-u.edu.ph

SUPPLEMENTAL/BID BULLETIN

Procurement of Various Office Supplies and Equipment for Use of BU College of Medicine Extension Building Addendum No. 3

This Addendum No.03 issued to modify or amend the items in the Bidding Documents for the project entitled: **Procurement of Various Office Supplies and Equipment for Use of BU College of Medicine Extension Building**

These are the amended details for the said project:

Invitation to Bid for the Procurement of Various Office Supplies and Equipment for Use of BU College of Medicine Extension Building

Old Indicated Technical Specifications				Amended Technical Specifications			
Item No. 7	2-set	Podium Material: Wood type Product Dimension: 23Wx45 ¾ x 15D Reading Table: Angled Reading Table: Dimensions Presenter Side Height: Base Dimensions: Front Panel Raised Center Panel: Shelf: Product Weight: Warranty	20,000.00	Item No. 7	2-set	Podium Material: Wood type Product Dimension: 23Wx45 ¾ x 15D Reading Table: Angled Reading Table: Dimensions Product Weigh: Variable depending on the weight of the wood used read table 2 feet by 2 feet Shelf: below the reading table 2 feet width x 5 inches height Presenter side heigh can be adjusted There should be a warranty	20,000.00
Item No. 13	300-pc	Monoblock Canopy Tents Specs: Type: Plastic Back Rest HT: 780mm Front Legs Distance: 355mm Side Legs Distance 365mm Seat Width: 370mm Gross Weight: 2.28kg Color: White	105,000.00	Item No. 13	300-pc	Monoblock Plastic Chairs Specs: Type: Plastic Back Rest HT: 780mm Front Legs Distance: 355mm Side Legs Distance 365mm Seat Width: 370mm Gross Weight: 2.28kg Color: White	105,000.00
Item No. 14	120-pc	Monoblock Plastic Chair Cover Specs Material: Linen Color: White	105,000.00	Item No. 14	300-pc	Monoblock Plastic Chair Cover Specs: Material: Linen Color: White Type: Plastic Back Rest HT: 780mm Front Legs Distance: 355mm Side Legs Distance 365mm Seat Width: 370mm Gross Weight: 2.28kg Color: White	105,000.00
Item No. 26	15-unit	Day Light Projector High quality bright images: 3LCD technology and equally high white and colour light output, Portable: Small and light enough to be carried and used several rooms, Wide connectivity options: Network-enabled and WiFi capable (optional accessory required) , Low TCo: Lamp and filter life of 12, 000 hours in eco	735,000.00	Item No. 26	15-unit	Day Light Projector High quality bright images: 3LCD technology and equally high white and colour light output, Portable: Small and light enough to be carried and used several rooms, Wide connectivity options: Network-enabled and WiFi capable (optional accessory required) , Low TCo: Lamp and filter life of 12, 000 hours in eco	Item No. 26



BIDS AND AWARDS COMMITTEE

3/F Student Union Center., Bicol University Main Campus, Rizal St., Legazpi City

Telefax: (052) 830-431

university-bac@bicol-u.edu.ph

	<p>mode, Versatile and flexible control: Project from many sources with HDMI and optional Wi-Fi connectivity Projection System : 3LCD Technology, RGB liquid crystal shutter</p> <p>LCD Panel : 0.55 inch with MLA (D10) Image</p> <p>Colour Light Output : 3,500 Lumen- 2,230 Lumen (economy)</p> <p>White Light Output : 3,500 Lumen - 2,230 Lumen (economy) in accordance with ISO 21118:2012</p> <p>Resolution : XGA, 1024 x 768, 4:3</p> <p>Aspect Ratio : 4:3 Contrast Ratio: 15,000 : 1 Light source: Lamp</p> <p>Lamp : UHE, 210 W, 6,000 h durability, 12,000 h durability (economy mode)</p> <p>Keystone Correction : Auto vertical: $\hat{A}\pm 30 \hat{A}^\circ$, Manual horizontal $\hat{A}\pm 30 \hat{A}^\circ$</p> <p>Colour Processing : 10 Bits</p> <p>2D Vertical Refresh Rate : 50 \hat{A} Hz - 85 Hz</p> <p>Colour Reproduction : up to 1.07 billion colours Optical</p> <p>Projection Ratio : 1.48 - 1.77:1 Zoom : Manual, Factor: 1.2 Lens : Optical</p> <p>Image Size : 30 inches - 300 inches Projection Distance Wide/Tele : 1.8 m - 2.17 m (60 inch screen) Projection Lens F Number : 1.58 - 1.72 Focal Distance : 16.9 mm - 20.28 mm Focus : Manual Offset : 8 : 1</p> <p>LCD Panel : 0.55 inch with MLA (D10) Image</p> <p>Colour Light Output : 3,500 Lumen- 2,230 Lumen (economy) White Light Output : 3,500 Lumen - 2,230 Lumen (economy) in accordance with ISO 21118:2012 Resolution : XGA, 1024 x 768, 4:3 Aspect Ratio : 4:3 Contrast Ratio : 15,000 : 1 Light source : Lamp</p>				<p>mode, Versatile and flexible control: Project from many sources with HDMI and optional Wi-Fi connectivity Projection System : 3LCD Technology, RGB liquid crystal shutter</p> <p>LCD Panel : 0.55 inch with MLA (D10) Image</p> <p>Colour Light Output : 3,500 Lumen- 2,230 Lumen (economy)</p> <p>White Light Output : 3,500 Lumen - 2,230 Lumen (economy) in accordance with ISO 21118:2012</p> <p>Resolution : XGA, 1024 x 768, 4:3</p> <p>Aspect Ratio : 4:3 Contrast Ratio: 15,000 : 1 Light source: Lamp</p> <p>Lamp : UHE, 210 W, 6,000 h durability, 12,000 h durability (economy mode)</p> <p>Keystone Correction : Auto vertical: $\hat{A}\pm 30 \hat{A}^\circ$, Manual horizontal $\hat{A}\pm 30 \hat{A}^\circ$</p> <p>Colour Processing : 10 Bits</p> <p>2D Vertical Refresh Rate : 50 \hat{A} Hz - 85 Hz</p> <p>Colour Reproduction : up to 1.07 billion colours Optical</p> <p>Projection Ratio : 1.48 - 1.77:1 Zoom : Manual, Factor: 1.2 Lens : Optical</p> <p>Image Size : 30 inches - 300 inches Projection Distance Wide/Tele : 1.8 m - 2.17 m (60 inch screen) Projection Lens F Number : 1.58 - 1.72 Focal Distance : 16.9 mm - 20.28 mm Focus : Manual Offset : 8 : 1</p> <p>LCD Panel : 0.55 inch with MLA (D10) Image</p> <p>Colour Light Output : 3,500 Lumen- 2,230 Lumen (economy) White Light Output : 3,500 Lumen - 2,230 Lumen (economy) in accordance with ISO 21118:2012 Resolution : XGA, 1024 x 768, 4:3 Aspect Ratio : 4:3 Contrast Ratio : 15,000 : 1 Light source : Lamp</p>	
--	--	--	--	--	--	--



BIDS AND AWARDS COMMITTEE

3/F Student Union Center., Bicol University Main Campus, Rizal St., Legazpi City

Telefax: (052) 830-431

university-bac@bicol-u.edu.ph

	<p>Lamp : UHE, 210 W, 6,000 h durability, 12,000 h durability (economy mode)</p> <p>Keystone Correction : Auto vertical: $\hat{A}\pm 30 \hat{A}^\circ$, Manual horizontal $\hat{A}\pm 30 \hat{A}^\circ$</p> <p>Colour Processing : 10 Bits</p> <p>2D Vertical Refresh Rate : 50\hat{A} Hz - 85 Hz</p> <p>Colour Reproduction : up to 1.07 billion colours Optical</p> <p>Projection Ratio : 1.48 - 1.77:1</p> <p>Zoom : Manual, Factor: 1.2</p> <p>Lens : Optical</p> <p>Image Size : 30 inches - 300 inches</p> <p>Projection Distance Wide/Tele : 1.8 m - 2.17 m (60 inch screen)</p> <p>Projection Lens F Number : 1.58 - 1.72</p> <p>Focal Distance : 16.9 mm - 20.28 mm</p> <p>Focus : Manual</p> <p>Offset : 8 : 1</p> <p>General</p> <p>Energy Use : 309\hat{A} Watt, 227 Watt (economy), 0.2 Watt (standby)</p> <p>Supply Voltage : AC 100 V - 240 V, 50 Hz - 60 Hz</p> <p>Product dimensions : 302$\hat{a}$$\hat{e}$ x 249 x 92 mm (Width x Depth x Height)</p> <p>Product weight : 2.7 kg</p> <p>Noise Level : Normal: 37 dB (A) - Economy: 28 dB (A)</p> <p>Temperature : Operation 5\hat{A}° C - 35\hat{A}° C, Storage -10\hat{A}° C - 60\hat{A}° C</p> <p>Humidity : Operation 20% - 80%, Storage 10% - 90%</p> <p>Included Software: Epson Projector Management Software, EasyMP Multi PC Projection,A EasyMP Network Projection</p> <p>Options : Document camera, Quick wireless USB key, Wireless LAN unit</p> <p>Loudspeaker : 5\hat{A} Watts</p> <p>What's in the box : VGA cable, Main unit, Power cable, Remote control incl. batteries</p> <p>Room Type / Application : Boardroom, Portable / Huddle space, Collaboration space /\hat{A} Classroom</p> <p>Positioning : Ceiling Mounted, Desktop</p> <p>Colour : White / Black</p> <p>TCO Certified : Yes</p>		<p>Lamp : UHE, 210 W, 6,000 h durability, 12,000 h durability (economy mode)</p> <p>Keystone Correction : Auto vertical: $\hat{A}\pm 30 \hat{A}^\circ$, Manual horizontal $\hat{A}\pm 30 \hat{A}^\circ$</p> <p>Colour Processing : 10 Bits</p> <p>2D Vertical Refresh Rate : 50\hat{A} Hz - 85 Hz</p> <p>Colour Reproduction : up to 1.07 billion colours Optical</p> <p>Projection Ratio : 1.48 - 1.77:1</p> <p>Zoom : Manual, Factor: 1.2</p> <p>Lens : Optical</p> <p>Image Size : 30 inches - 300 inches</p> <p>Projection Distance Wide/Tele : 1.8 m - 2.17 m (60 inch screen)</p> <p>Projection Lens F Number : 1.58 - 1.72</p> <p>Focal Distance : 16.9 mm - 20.28 mm</p> <p>Focus : Manual</p> <p>Offset : 8 : 1</p> <p>General</p> <p>Energy Use : 309\hat{A} Watt, 227 Watt (economy), 0.2 Watt (standby)</p> <p>Supply Voltage : AC 100 V - 240 V, 50 Hz - 60 Hz</p> <p>Product dimensions : 302$\hat{a}$$\hat{e}$ x 249 x 92 mm (Width x Depth x Height)</p> <p>Product weight : 2.7 kg</p> <p>Noise Level : Normal: 37 dB (A) - Economy: 28 dB (A)</p> <p>Temperature : Operation 5\hat{A}° C - 35\hat{A}° C, Storage -10\hat{A}° C - 60\hat{A}° C</p> <p>Humidity : Operation 20% - 80%, Storage 10% - 90%</p> <p>Options : Document camera, Quick wireless USB key, Wireless LAN unit</p> <p>Loudspeaker : 5\hat{A} Watts</p> <p>What's in the box : VGA cable, Main unit, Power cable, Remote control incl. batteries</p> <p>Room Type / Application : Boardroom, Portable / Huddle space, Collaboration space /\hat{A} Classroom</p> <p>Positioning : Ceiling Mounted, Desktop</p> <p>Colour : White / Black</p> <p>TCO Certified : Y</p>	
--	--	--	--	--



BIDS AND AWARDS COMMITTEE

3/F Student Union Center., Bicol University Main Campus, Rizal St., Legazpi City

Telefax: (052) 830-431

university-bac@bicol-u.edu.ph

Item No. 28	9-unit	<p>All in One Desktop</p> <p>Technical Specification: Processor: Intel Core i7-1260P processor (P-core from 2.1 GHz up to 4.7 GHz, E-core from 1.5 GHz up to 3.4 GHz, 18 MB cache, 4 P core/8 E-core/16-thread, 28W) Memory: 16GB soDIMM DDR4 Up to 32 GB of Dual channel DDR4 3200 MHz Storage: 256 GB M.2 2280 PCI-E SSD + 1TB HDD 2.5- inch 5400 RPM Graphics: NVIDIA GeForce MX550 with 2 GB of GDDR6 Camera: Integrated 5.0 MP Full HD high-sense webcam with 2 stereo microphones Audio: DTS Audio, Built-in stereo speakers WLAN: 802.11ax/ac/a/b/g/n, Wi-Fi 6E and Bluetooth 5 LAN: Gigabit Ethernet Front/Side I/O connectors Card reader: N USB 2.0 Type A port(s): 1 Rear I/O connectors HDMI port(s): 2 (in/out) LAN port(s): 1 Audio jack(s): 1 USB Type-CTM port(s): 1 Port 1 USB 3.1 Gen 1 (up to 5 Gbps): 1 USB 3.1 Gen 2 (up to 10 Gbps): 1 DisplayPort over USB-C: 1 Thunderbolt TM 4: 1 USB charging 5 V; 3 A: 1 USB 3.2 Gen1 Type A port(s): 3 USB 3.2 Gen1 Type C port(s): 1 M.2 slot (for SSD): 1 M.2 slot (for WLAN): 1 135 W</p>		Item No. 28	9-unit	<p>All in One Desktop</p> <p>Technical Specification: Processor: Intel Core i7-1260P processor (P-core from 2.1 GHz up to 4.7 GHz, E-core from 1.5 GHz up to 3.4 GHz, 18 MB cache, 4 P core/8 E-core/16-thread, 28W) Memory: 16GB soDIMM DDR4 Up to 32 GB of Dual channel DDR4 3200 MHz Storage: 256 GB M.2 2280 PCI-E SSD + 1TB HDD 2.5- inch 5400 RPM Graphics: NVIDIA GeForce MX550 with 2 GB of GDDR6 Camera: Integrated 5.0 MP Full HD high-sense webcam with 2 stereo microphones Audio: Built-in stereo speakers WLAN: 802.11ax/ac/a/b/g/n, Wi-Fi 6E and Bluetooth 5 LAN: Gigabit Ethernet Front/Side I/O connectors Card reader: N USB 2.0 Type A port(s): 1 Rear I/O connectors HDMI port(s): 2 (in/out) LAN port(s): 1 Audio jack(s): 1 USB Type-CTM port(s): 1 Port 1 USB 3.1 Gen 1 (up to 5 Gbps): 1 USB 3.1 Gen 2 (up to 10 Gbps): 1 DisplayPort over USB-C: 1 Thunderbolt TM 4: 1 USB charging 5 V; 3 A: 1 USB 3.2 Gen1 Type A port(s): 3 USB 3.2 Gen1 Type C port(s): 1 M.2 slot (for SSD): 1 M.2 slot (for WLAN): 1 135 W</p>	490,000.00
----------------	--------	---	--	-------------	--------	--	------------

Submission of Bid Documents:

Supplier shall submit quotations on or before **December 14, 2023, 12:30 NN** to the BAC Secretariat, 3/F Bicol University, Student Union Center, OSAS Bldg. PrMO/BAC Office, Legazpi City, Albay.

Bid Opening: December 14, 2023, 1:00 PM

For Guidance and information.

Originally Signed

DR. MA. JULIETA B. BORRES

BAC Chairperson